

	Type	Hits	Search Text	DBs
1	BRS	2	("5930508" "5787303").pn.	USPAT
2	BRS	11	"5930508".URPN.	USPAT
3	BRS	16	("5057837" "5179680" "5404469" "5438668" "5471593" "5502826" "5574939" "5600810" "5630157" "5632024" "5652852" "5732234" "5758114" "5761470" "5787302" "5819058").PN.	USPAT
4	BRS	2538	plurality with execution with units	USPAT; EPO; JPO
5	BRS	0	issue with select\$5 with istruction	USPAT; EPO; JPO
6	BRS	1	fetch with unit with instruction with delimit\$5	USPAT; EPO; JPO
7	BRS	950	issue with select\$5 with instruction	USPAT; EPO; JPO
8	BRS	0	unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction with depend\$6	USPAT; EPO; JPO
9	BRS	0	unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction with depend\$6 with data	USPAT; EPO; JPO
10	BRS	33	unit with (fetch\$4 issu\$4) with instruction with depend\$6 with type	USPAT; EPO; JPO
11	BRS	65	available with execution with unit with issue	USPAT
12	BRS	3	available with resource with scoreboard\$4	USPAT
13	BRS	24	available with execution with scoreboard\$4	USPAT
14	BRS	16	available with scoreboard\$4 with bit	USPAT
15	BRS	275	available with resource with bit	USPAT
16	BRS	21	available with resource with bit with instruction	USPAT
17	BRS	20	available with resource with bit with table	USPAT
18	BRS	0	available with execution with unit with issue with bit	USPAT

	Type	Hits	Search Text	DBs
19	BRS	0	available with execution with unit with issue with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	72	available with execution with unit with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	144	available with resource with bit	USPAT
22	BRS	250	available with resource with bit	USPAT
23	BRS	20	available with resource with bit with table	USPAT
24	BRS	7	available same (resource with scoreboard\$4)	USPAT
25	BRS	34	available same (resource with scoreboard\$4)	USPAT
26	BRS	22	available same (resource near4 scoreboard\$4)	USPAT
27	BRS	3	712/204.ccls. and delimit\$4	USPAT; EPO; JPO; IBM_TDB
28	BRS	1	"5442760".pn.	USPAT
29	BRS	23	available with resource with bit with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	29	available with resource with bit with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	BRS	23	available with resource with bit with table	US-PGPUB; USPAT; EPO; JPO; DERWENT
32	BRS	23	available with resource with bit with table	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	BRS	49	unit with (fetch\$4 issu\$4) with instruction with depend\$6 with type	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
34	BRS	23	available with resource with bit with table	US-PGPUB; USPAT; EPO; JPO; DERWENT
35	BRS	204	available with resource with bit	US-PGPUB; USPAT; EPO; JPO; DERWENT
36	BRS	16	instruction with bit with format with ((execution\$2 function\$2) near unit)	USPAT
37	BRS	169	712/204.ccls.	USPAT; EPO; JPO; IBM_TDB
38	BRS	199	712/22.ccls.	USPAT; EPO; JPO; IBM_TDB
39	BRS	291	712/208.ccls.	USPAT
40	BRS	73	712/2.ccls.	USPAT
41	BRS	399	712/215.ccls.	USPAT
42	BRS	161	712/223.ccls.	USPAT; EPO; JPO; IBM_TDB
43	BRS	22	available with resource with bit with table	USPAT; EPO; JPO
44	BRS	19	available with scoreboard\$4 with bit	USPAT; EPO; JPO
45	BRS	31	depend\$5 with current with execut\$4 with type	USPAT; EPO; JPO; IBM_TDB
46	BRS	267	parallel with process\$5 with VLIW	USPAT; EPO; JPO; IBM_TDB
47	BRS	4	unit with (fetch\$4 issu\$4) with rearrang\$4 with instruction	USPAT; EPO; JPO
48	BRS	12	depend\$5 with current with execut\$4 with (issu\$4 align\$5)	USPAT; EPO; JPO; IBM_TDB
49	BRS	1	"5930508".pn.	USPAT
50	BRS	1	"5881307".pn.	USPAT
51	BRS	1	"5930508".pn.	USPAT
52	BRS	1	"5787303".pn.	USPAT